ELSEVIER

Molecular Cell Research

Vol. 1312, 1996

BBA Biochimica et Biophysica Acta

Author index

Adams, L., Scott, G.K. and Weinberg, C.S.
Biphasic modulation of cell growth by recombinant human galectin-1 (1312) 137
Adolphe, M., see Borge, L. (1312) 117
Amicarelli, F., see Di Ilio, C. (1312) 125
Angelucci, S., see Di Ilio, C. (1312) 125
Ansorge, S., see Fritz, S. (1312) 255
ApSimon, M., see Shah, G.M. (1312) 1
Ashton, S.H., see Makhlouf, M. (1312) 163
Assmann, G., see Tepel, M. (1312) 145

Baldwin, G.S., see Zhang, Q.-X. (1312) 207
Bamberg, K., see Helander, K.G. (1312) 158
Becker, W., Kentrup, H., Heukelbach, J. and Joost, H.-G.
cDNA cloning and characterization of rat Clk3, a LAMMER kinase predominately expressed in testis (1312) 63
Benson, F., see Flygare, J. (1312) 231
Bignami, G.S., Wagner, F., Grothaus, P.G., Rustagi, P., Davis, D.E. and Kraft, A.S.
Biological activity of 26-succinylbryostatin 1 (1312) 197
Birkenhäger, J.C., see Van Leeuwen, J.P.T.M. (1312) 55
Bloom, B.B., Humphries, D.E., Kuang, P.-P., Fine, A. and Goldstein, R.H.
Structure and expression of the promoter for the R4/ALK5 human type I transforming growth factor-β receptor: regulation by TGF-β (1312) 243
Boekhoff, I., see Kroner, C. (1312) 169
Bohnensack, R., see Fritz, S. (1312) 255
Borge, L., Demignot, S. and Adolphe, M.
Type II transglutaminase expression in rabbit articular chondrocytes in culture: relation with cell differentiation, cell growth, cell adhesion and cell apoptosis (1312) 117
Breer, H., see Kroner, C. (1312) 169
Breitbart, H., Rubinstein, S. and Gruberger, M.
Calcium efflux mechanism in sperm mitochondria (1312) 79
Bucciarelli, T., see Di Ilio, C. (1312) 125

Calvo, J.R., see Pozo, D. (1312) 249
Carrero, I., see Pozo, D. (1312) 249
Cook, J.A., see Makhlouf, M. (1312) 163

Dagher, M.-C., see Fuchs, A. (1312) 39
Davis, D.E., see Bignami, G.S. (1312) 197
Davis, I.D., see Zhang, Q.-X. (1312) 207
Day, D.A., see Whelan, J. (1312) 48
De Laat, S.W., see Van Inzen, W.G. (1312) 21
Demignot, S., see Borge, L. (1312) 117
Desnoyers, S., see Shah, G.M. (1312) 1
Di Giulio, C., see Di Ilio, C. (1312) 125
Di Ilio, C., Angelucci, S., Bucciarelli, T., Pennelli, A., Petruzzelli, R., Di Giulio, C., Miranda, M., Amicarelli, F. and Sacchetta, P.
Alteration of glutathione transferase subunits composition in the liver of young and aged rats submitted to hypoxic and hyperoxic conditions (1312) 125
Dreyer, J.-L., see Zurbriggen, R. (1312) 215
Düzgüneş, N., see Konopka, K. (1312) 186

Elberg, G., see Li, J. (1312) 223

Fauré, J., see Fuchs, A. (1312) 39
Felgner, P.L., see Konopka, K. (1312) 186
Fine, A., see Bloom, B.B. (1312) 243
Flygare, J., Benson, F. and Hellgren, D.
Expression of the human RAD51 gene during the cell cycle in primary human peripheral blood lymphocytes (1312) 231
Fritz, S., Striggow, F., Reinhold, D., Schlüter, T., Schönfeld, P., Ansorge, S. and Bohnensack, R.
Phorbol ester-induced shedding of intercellular adhesion molecule-1 . (ICAM-1) on erythroleukemic K 562 cells (1312) 255
Fuchs, A., Dagher, M.-C., Fauré, J. and Vignais, P.V.
Topological organization of the cytosolic activating complex of the superoxide-generating NADPH-oxidase. Pinpointing the sites of interaction between p47phox, p67phox and p40phox using the two-hybrid system (1312) 39

Gettys, T.W., see Makhlouf, M. (1312) 163
Goldstein, R.H., see Bloom, B.B. (1312) 243
Grothaus, P.G., see Bignami, G.S. (1312) 197
Gruberger, M., see Breitbart, H. (1312) 79
Guijarro, L.G., see Pozo, D. (1312) 249

Halushka, P.V., see Makhlouf, M. (1312) 163
Hanafusa, T., see Miki, H. (1312) 132
Helander, H.F., see Helander, K.G. (1312) 158
Helander, K.G., Bamberg, K., Sachs, G., Melle, D. and Helander, H.F.
Localization of mRNA for the muscarinic M1 receptor in rat stomach (1312) 158
Hellgren, D., see Flygare, J. (1312) 231
Heukelbach, J., see Becker, W. (1312) 63
Hildebrandt, J., see Makhlouf, M. (1312) 163
Hoflack, J.-C., see Shah, G.M. (1312) 1
Humphries, D.E., see Bloom, B.B. (1312) 243

Imamura, T., see Takata, Y. (1312) 68
Ishida, T., see Yoshimura, M. (1312) 151

Jackson, A., see Shin, J.T. (1312) 27
Jensen, R.T., see Kitsukawa, Y. (1312) 105
Joost, H.-G., see Becker, W. (1312) 63

Kajiyama, G., see Yoshimura, M. (1312) 151
Kambe, M., see Yoshimura, M. (1312) 151
Kentrup, H., see Becker, W. (1312) 63
Kirkland, J.B., see Shah, G.M. (1312) 1
Kitsukawa, Y., Turner, R.J., Pradhan, T.K. and Jensen, R.T.
Gastric chief cells possess NK_1 receptors which mediate pepsinogen secretion and are regulated by agents that increase cAMP and phospholipase C (1312) 105
Kizawa, K., Uchiwa, H. and Murakami, U.
Highly-expressed S100A3, a calcium-binding protein, in human hair cuticle (1312) 94
Kobayashi, M., see Takata, Y. (1312) 68

Konopka, K., Pretzer, E., Felgner, P.L. and Düzgüneş, N.
Human immunodeficiency virus type-1 (HIV-1) infection increases the sensitivity of macrophages and THP-1 cells to cytotoxicity by cationic liposomes (1312) 186
Kraft, A.S., see Bignami, G.S. (1312) 197
Kroner, C., Boekhoff, I. and Breer, H.
Phosphatase 2A regulates the responsiveness of olfactory cilia (1312) 169
Kuang, P.-P., see Bloom, B.B. (1312) 243
Kuwajima, M., see Miki, H. (1312) 132

Lee, R.J., Wang, S. and Low, P.S.
Measurement of endosome pH following folate receptor-mediated endocytosis (1312) 237
Li, J., Elberg, G. and Shechter, Y.
Phenylarsine oxide and vanadate: apparent paradox of inhibition of protein phosphotyrosine phosphatases in rat adipocytes (1312) 223
Lin, S., Phillips, K.S., Wilder, M.R. and Weaver, T.E.
Structural requirements for intracellular transport of pulmonary surfactant protein B (SP-B) (1312) 177
Low, P.S., see Lee, R.J. (1312) 237
Löwe, S., see Tepel, M. (1312) 145

Maciag, T., see Shin, J.T. (1312) 27
Mahesh, V.K., see Shin, J.T. (1312) 27
Makhlouf, M., Ashton, S.H., Hildebrandt, J., Mehta, N., Gettys, T.W., Halushka, P.V. and Cook, J.A.
Alterations in macrophage G proteins are associated with endotoxin tolerance (1312) 163
Malaisse, W.J., see Sener, A. (1312) 73
Matsumura, T., see Miki, H. (1312) 132
Matsuura, H., see Yoshimura, M. (1312) 151
Matsuzawa, Y., see Miki, H. (1312) 132
Mehta, N., see Makhlouf, M. (1312) 163
Melle, D., see Helander, K.G. (1312) 158
Miki, H., Namba, M., Nishimura, T., Mineo, I., Matsumura, T., Miyagawa, J.-i., Nakajima, H., Kuwajima, M., Hanafusa, T. and Matsuzawa, Y.
Glucagon-like peptide-1(7–36)amide enhances insulin-stimulated glucose uptake and decreases intracellular cAMP content in isolated rat adipocytes (1312) 132
Mineo, I., see Miki, H. (1312) 132
Miranda, M., see Di Ilio, C. (1312) 125
Miyagawa, J.-i., see Miki, H. (1312) 132
Morioka, H., see Takata, Y. (1312) 68
Murakami, U., see Kizawa, K. (1312) 94

Nakajima, H., see Miki, H. (1312) 132
Namba, M., see Miki, H. (1312) 132
Nishimura, T., see Miki, H. (1312) 132
Nofer, J.-R., see Tepel, M. (1312) 145

Opalenik, S.R., see Shin, J.T. (1312) 27
Oshima, T., see Yoshimura, M. (1312) 151

Pennelli, A., see Di Ilio, C. (1312) 125
Peppelenbosch, M.P., see Van Inzen, W.G. (1312) 21
Petruzzelli, R., see Di Ilio, C. (1312) 125
Phillips, K.S., see Lin, S. (1312) 177
Poirier, D., see Shah, G.M. (1312) 1
Poirier, G.G., see Shah, G.M. (1312) 1
Pols, H.A.P., see Van Leeuwen, J.P.T.M. (1312) 55
Pozo, D., Segura, J.J., Carrero, I., Guijarro, L.G., Prieto, J.C. and Calvo, J.R.
Characterization of adenylyl cyclase stimulated by VIP in rat and mouse peritoneal macrophage membranes (1312) 249
Pradhan, T.K., see Kitsukawa, Y. (1312) 105
Pretzer, E., see Konopka, K. (1312) 186
Prieto, J.C., see Pozo, D. (1312) 249

Reinhold, D., see Fritz, S. (1312) 255
Reuter, C.W.M., see Wright, J.D. (1312) 85
Rong, P., see Shah, G.M. (1312) 1
Rubinstein, S., see Breitbart, H. (1312) 79
Rustagi, P., see Bignami, G.S. (1312) 197

Sacchetta, P., see Di Ilio, C. (1312) 125
Sachs, G., see Helander, K.G. (1312) 158
Saint-Martin, S., see Shah, G.M. (1312) 1
Sawa, T., see Takata, Y. (1312) 68
Schlüter, H., see Tepel, M. (1312) 145
Schlüter, T., see Fritz, S. (1312) 255
Schönfeld, P., see Fritz, S. (1312) 255
Scott, G.K., see Adams, L. (1312) 137
Segura, J.J., see Pozo, D. (1312) 249
Sener, A. and Malaisse, W.J.
Kinetics and specificity of human B-cell glucokinase: relevance to hexose-induced insulin release (1312) 73
Shah, G.M., Poirier, D., Desnoyers, S., Saint-Martin, S., Hoflack, J.-C., Rong, P., ApSimon, M., Kirkland, J.B. and Poirier, G.G.
Complete inhibition of poly(ADP-ribose) polymerase activity prevents the recovery of C3H10T1/2 cells from oxidative stress (1312) 1
Shechter, Y., see Li, J. (1312) 223
Shin, J.T., Opalenik, S.R., Wehby, J.N., Mahesh, V.K., Jackson, A., Tarantini, F., Maciag, T. and Thompson, J.A.
Serum-starvation induces the extracellular appearance of FGF-1 (1312) 27
Smith, M.K., see Whelan, J. (1312) 48
Striggow, F., see Fritz, S. (1312) 255

Takada, Y., see Takata, Y. (1312) 68
Takata, Y., Imamura, T., Yang, G.H., Takada, Y., Sawa, T., Morioka, H. and Kobayashi, M.
Pioglitazone attenuates the inhibitory effect of phorbol ester on epidermal growth factor receptor autophosphorylation and tyrosine kinase activity (1312) 68
Tanudji, M.R., see Whelan, J. (1312) 48
Tarantini, F., see Shin, J.T. (1312) 27
Tepel, M., Löwe, S., Nofer, J.-R., Assmann, G., Schlüter, H. and Zidek, W.
Diadenosine polyphosphates regulate cytosolic calcium in human fibroblast cells by interaction with P_{2x} purinoceptors coupled to phospholipase C (1312) 145
Tertoolen, L.G.J., see Van Inzen, W.G. (1312) 21
Thompson, J.A., see Shin, J.T. (1312) 27
Tsiftsoglou, A.S., see Vizirianakis, I.S. (1312) 8
Turner, R.J., see Kitsukawa, Y. (1312) 105

Uchida, T., see Watanabe, S.-I. (1312) 99
Uchiwa, H., see Kizawa, K. (1312) 94

Van den Bemd, G.C.M., see Van Leeuwen, J.P.T.M. (1312) 55
Van den Brand, M.W.M., see Van Inzen, W.G. (1312) 21
Van Inzen, W.G., Peppelenbosch, M.P., Van den Brand, M.W.M., Tertoolen, L.G.J. and De Laat, S.W.
Neuronal differentiation of embryonic stem cells (1312) 21
Van Leeuwen, J.P.T.M., Birkenhäger, J.C., Van den Bemd, G.C.M. and Pols, H.A.P.
Evidence for coordinated regulation of osteoblast function by 1,25-dihydroxyvitamin D_3 and parathyroid hormone (1312) 55
Vignais, P.V., see Fuchs, A. (1312) 39

Vizirianakis, I.S. and Tsiftsoglou, A.S.
Induction of murine erythroleukemia cell differentiation is associated with methylation and differential stability of poly(A)$^+$ RNA transcripts (1312) 8

Wagner, F., see Bignami, G.S. (1312) 197
Wang, S., see Lee, R.J. (1312) 237
Watanabe, S.-I. and Uchida, T.
Expression of cytidine deaminase in human solid tumors and its regulation by 1α,25-dihydroxyvitamin D_3 (1312) 99
Weaver, T.E., see Lin, S. (1312) 177
Weber, M.J., see Wright, J.D. (1312) 85
Wehby, J.N., see Shin, J.T. (1312) 27
Weinberg, C.S., see Adams, L. (1312) 137
Whelan, J., Tanudji, M.R., Smith, M.K. and Day, D.A.
Evidence for a link between translocation and processing during protein import into soybean mitochondria (1312) 48
Wilder, M.R., see Lin, S. (1312) 177
Wright, J.D., Reuter, C.W.M. and Weber, M.J.
Identification of sites on epidermal growth factor receptors which are phosphorylated by pp60^{src} in vitro (1312) 85

Yang, G.H., see Takata, Y. (1312) 68
Yoshimura, M., Oshima, T., Matsuura, H., Ishida, T., Kambe, M. and Kajiyama, G.
Potentiation of the intracellular Ca^{2+} response to arginine vasopressin by increased cytosolic-free Mg^{2+} in rat vascular smooth muscle cells (1312) 151

Zhang, Q.-X., Davis, I.D. and Baldwin, G.S.
Controlled overexpression of selected domains of the P85 subunit of phosphatidylinositol 3-kinase reverts v-Ha-Ras transformation (1312) 207
Zidek, W., see Tepel, M. (1312) 145
Zurbriggen, R. and Dreyer, J.-L.
The plasma membrane NADH-diaphorase is active during selective phases of the cell cycle in mouse neuroblastoma cell line NB41A3. Its relation to cell growth and differentiation (1312) 215